

CareAdmin Overview for Nurses

Cerner PowerChart and FirstNet Education

Medication Administration Sequence of Steps

- 1. Open patient chart
 - a. View orders/allergies
 - b. Perform Nurse Review as appropriate
 - c. Review MAR Summary
- 2. Obtain medications and bring to bedside
- 3. Open patient chart
- 4. Click Medication Administration
- **Documenting IV Rate Change**
- Began bag will have already been documented
- 2. Go to IView: I&O
- 3. Right click on IV requiring rate change
 - a. Select 'Chart Details'
 - b. Select 'Rate Change'
 - c. Verify correct Date/Time
 - d. Enter new IV rate
 - e. Click 'Apply'
 - f. Sign



- Scan patient's ID band

 Use 2 identifiers (Name and Date of Birth)
 Prepare medications and compare with computer order
- S. Prepare medications and compare w
- 7. Scan medications
- 8. Compare and verify medication with computer before giving
- 9. Administer medications to patient
- 10. Click 'Sign'

P Charting for: CERNED, ZOE	×
D5W 1,000 mL 1,000 mL, IV, Start 08/01/19 15:54:00, 50 mL/hr DEMAND	Change Order Version
▲ ▶ 12/08/19 07:00 - 12/10/19 06:59	• •
12/09/19 10:00	
Begin Bag Bag # 1 b use use solus Rate Change 50 mL/hr	
Ves No D5W 1000 mL	Change
*Performed date / time : 12/09/2019 V 1418	Comment
*Bag #: 1 d *Rate (mL/hr): 75	e Apply
	Rate Change
	In Progress

Documenting Titratable IV Rate Change

- 1. Began bag will have already been documented
- 2. Go to IView: Monitoring Band IV Drips
- 3. Create time column for time of rate change
- 4. Enter new dose
 - a. Rate will auto calculate
- 5. Sign

M 3		12/0	9/19
PR 🖬	15:13	11:30	11:00
⊿ IV Drips			
<u></u>			
hepari Bolus mL			
n 100 Rate mL/hr		12	11.25
heparin unit/kg/hr	4	16	15



CareAdmin Overview for Nurses

Cerner PowerChart and FirstNet Education

Nurse Witness

1. Scan medication

morphine 2-4 mg, IVPush, Inject, q2hr, PRN Severe Pain, ...morphine 2 mg, IVPush, Severe Pain, Pain score 7-10, administer 2 mg, may repeat t...

- 2. Click on drop down arrow
- 3. Enter the name of the RN who witnessed the medication
- 4. Fill in required dose fields
- 5. Click 'Ok'
- 6. RN providing witness will have to enter their password before able to sign medication

P Charting for: CERNED, ZOE	Authorizing Signature - DONTHANK
Neurbing	^{⊜ cerner} Cerner Millennium [°]
2.4 mg, IVPush, Inject, q2hr, PRN Severe Pain, Start 08/01/19 15:54:00 Pain score 7-10, administer 2 mg, may repeat this dose ONCE after 15 min if pain score remain	Username : DONTHANK 🚽
	Password :
*Performed date / time : 01/09/2020	Domain :
*Performed by : Lambert RN, Erica E	
Witnessed by : Onthank, Doreen D	OK Cancel PowerChart © 2011 Cerner Corporation. All rights resenved.

Medication IV Bolus on Pump

- 1. Go to IView: Monitoring Band
- 2. IV Drips section
- 3. Right click on medication name
- 4. Select 'Chart Details'
- 5. Select 'Bolus'
- 6. Enter Bolus volume in ml
- 7. Enter Bolus 'To' and 'From' time
- 8. Click 'Apply'
- 9. Sign



P Charting for: Cl	ERNED, ZOE					83
(9)						
heparin 100 uni 25,000 unit, 250 ml Concentration = 10	ts/mL-NaCl 0.4 L, IV, Start 08/01/19 00 units/ mL - Expi	5% intraven 9 15:55:00, Titra res 36 hours fr	ous solution ate per protoco om time spiked	25,000 ui **HIGH AL	iit ERT MEDIC	Change Order Version
4 F		12/09/	19 00:00 - 12/	09/19 16:0	5	 •
	12/09/19 10:00	12/09/19 11:00	12/09/19 11:30	12/09/19 16:05		
5 egin Bag Infuse	Bag # 1					
Bolus Rate Change	10.5 mL/hr	11.25 mL/hr	12 mL/hr	0.5 mL		
🔜 Heparin DRIP	14 unit/kg/hr	15 unit/kg/hr	16 unit/kg/hr			
Ves No						
*Infuse volume (i	mL): 0.5	Bolus				Comment
*Fr	rom: 12/09/2019	•	1000			Clear
	*To: 12/09/2019	•	1605	P		8 Apply
Infused Over: 6 Hours 5 Minutes						
*Performed	by: Lambert RN	, Erica E		Q		
*Ba	g #: 1					
*S	ite : Antecubit	Right	•			Bolus
						In Progress



CareAdmin Overview for Nurses

Cerner PowerChart and FirstNet Education

Create Adhoc Order

1.	Click			
2.	Scan patient			
3.	Medication Administration window opens			
4.	Click Create order and document.			
5.	Scan medication			
6.	Address all fields, not all are required fields			
7.	Verify correct dose and route entered			
8.	Sign			
Note: This should only be used for emergent situations.				

P Charting for: CERNED, ZOE - ME1719900133		
Document and place One-Time Order for: LORazepam (Ativan)		
Performed date / time :	12/09/2019	
*Ordering Provider :		
Communication Type :	•	
Performed by :	Lambert RN, Erica E	
Dose :	2 mg 👻	
Volume :	mL 7	
*Route :	-	
Form :	Inject 👻	
Site :		
Infuse Over :	0	
Comment	Return to Search Cance 8 Sign	

Bluetooth vs Tethered Scanners

- 1. Bluetooth scanners:
 - a. The scanners need to be put back on docking station when done using for charging
 - i. If battery dies, scanner will need to be reconfigured
 - b. The scanners are computer and docking station specific and need to remain with the computer they are associated with
- 2. Tethered scanners:
 - a. Do not need to be plugged in, except during use
 - b. Are able to use on any computer by accessing the USB port