

Restraints: Changed Device/Points for Nurses

Cerner FirstNet and PowerChart EDUCATION

After restraint initiation, if an alternative type of restraint device or change in restraint points that would be more appropriate for the patient then what was ordered, the following needs to occur:

- The original restraint order needs to be discontinued via the Restraint Monitoring form.
- A new order must be placed.

Follow the steps outlined below for a provider or nurse entered change of device/points restraint order.

Provider Entered Changed Device/Points Restraint Order

Note: A new Restraint Initiation task will generate with the new restraint order. Do not document on the New Restraint Initiation task until the steps below are completed.

The provider enters a new restraint order for different device/points.

1. Open the **Restraint Monitoring** Violent or Non-Violent form via Ad Hoc or the CareCompass/LaunchPoint task.
 - a) The form will auto-populate with information from the Restraint Initiation with Date and Time.
 - b) In the mandatory field, Restraints Still Needed, select **Changed device/points**.

2. The Restraint Discontinuation form opens.
 - a) In the Discontinue Restraint Order field, select **Yes**.
 - b) In the Discontinue Criteria Met field, select **Unmet: Changed to a different device/points**.

3. Upon signing the form, all restraint orders will discontinue.

Note: Do NOT discontinue Restraints from the Orders page.

1 Restraint Monitoring NonViolent Patient

Restraint Initiation Date/Time: 03/24/2024 1000 **a**

Previous Fall Risk Score: [] Display of last charted Fall Risk Score and Braden Scale Score.

Previous Braden Scale Score: []

System Use Only: Open Open **b**

Restrains Still Needed: Yes No, restraints no longer needed Changed device/points **b**

Comment: []

2 Restraint Discontinuation NonViolent Patient

Discontinuation Date/Time: 03/25/2024 1153

Total Restraint Time: 1,553 minute(s) minutes

Discontinue Restraint Order: Yes **a**

Discontinue Criteria Met: Unmet: Changed to a different device/points **b**

When changing device/points, obtain a new order and document a new initiation via the CareCompass task.

Precautions: THIS visit only

Uncheck "restraint." If there are no other precautions selected, then check the "None" option.

Any selections in this field are only valid for this visit, until deselected and/or None is selected

Restraints: Changed Device/Points for Nurses

Cerner FirstNet and PowerChart EDUCATION

Nurse Entered Changed Device/Points Restraint Order

Note: Before entering a new restraint order for a change of device/points, discontinue the current device using the Restraint Monitoring Non-Violent or Violent Patient form. Follow the steps below.

- Open the Restraint Monitoring Non-Violent or Violent form via Ad Hoc or the CareCompass/LaunchPoint task.
 - The form will auto-populate with information from the Restraint Initiation with Date and Time.
 - In the mandatory field Restraints Still Needed, select **Changed device/points**.

- The Restraint Discontinuation form opens.
 - In the Discontinue Restraint Order field, select **Yes**.
 - In the Discontinue Criteria Met field, select **Unmet: Changed to a different device/points**.

- Upon signing the form, all restraint orders will discontinue.

Note: **Do NOT** discontinue Restraints from the Orders page.

1 Restraint Monitoring Non-Violent Patient

Restraint Initiation Date/Time: 03/24/2024 1000 **a**

Previous Fall Risk Score: [] Display of last charted Fall Risk Score and Braden Scale Score.

Previous Braden Scale Score: []

Restraints Still Needed: Yes No, restraints no longer needed **Changed device/points** **b**

Comment: []

2 Restraint Discontinuation Non-Violent Patient

Discontinuation Date/Time: 03/25/2024 1153

Total Restraint Time: 1,553 minute(s) minutes

Discontinue Restraint Order: **Yes** **a**

Discontinue Criteria Met: **Unmet: Changed to a different device/points** **b**

Precautions: [] None, [] Guard at bedside, [] latex sensitive, [] odor sensitive, [] aspiration precautions, [] behavioral health 1:1 monitoring, [] behavioral health close observation, [] behavioral health general, [] Elopement, [] fall risk, [] insulin pump, [] limb alert LLE, [] limb alert LUE, [] limb alert RLE, [] limb alert RUE, [] neutropenic precautions, [] no heparin/heparin products, [] Pain pump, [] radium implant, [] restraint, [] security risk, [] seizure precautions, [] suicide precautions, [] swallowing precautions

- Navigate to Menu Orders and select **Add**.
 - In the Search window enter restraint.
 - Select appropriate restraint order.

4 Menu Orders **+ Add** **a**

Search: Type: []

Results: **Restraints Non-Violent**, **Restraints Renewal Non-Violent**, **High Alert Restraints Violent** **b**

Restraints: Changed Device/Points for Nurses

Cerner FirstNet and PowerChart EDUCATION

- c) Enter provider's name and Communication type.
Select OK.

- d) Select the restraint ordered, click Sign.

- e) Navigate to CareCompass/LaunchPoint and complete the new Restraint Initiation task.