

ePrescribe Medications and Controlled Substances for ED and Urgent Care Providers

Cerner FirstNet and PowerChart EDUCATION

State law requires all prescribers to electronically transmit all prescriptions (eRx), including those for controlled substances, as of January 1st, 2023. Federal law has the same requirements with very limited exceptions. Providers will now electronically prescribe controlled substances (EPCS) to a patient’s preferred pharmacy at discharge. As required by the federal Drug Enforcement Agency, the ePrescribing system relies on double-authentication to prevent misuse and verify enrollment in the program.

Provisioning requirements to EPCS:

- Download the **Google Authenticator app** on your smartphone.
- Complete a face-to-face meeting with the provisioning agent for ID verification.
- Must bring a valid driver’s license and your smartphone to the enrollment meeting.


Note: Google Authenticator is specific to the individual’s smartphone, and re-provisioning will need to occur anytime a new phone is obtained or the Google Authenticator app is deleted from the phone.

Ordering a Prescription

To order a prescription:

1. Navigate to the **Orders** section in the dark blue Menu.
2. Click **Add**.
3. Change the Type to **Discharge Meds as Rx**.
4. Search for and select the desired medication in the Search field.

5. Review and modify any order details, as needed. Add any notes to the eRx pharmacy and any special instructions for the patient.
6. If the preferred pharmacy has been entered, it will default in the **Send To:** Field.
7. Click **Sign**.



If a controlled substance has been signed, the Re-authentication window will open.

- Open the Google Authenticator app on smartphone and enter the 6-digit one-time passcode and click OK.
 - A new pass code is generated every 60 seconds.
 - If the code begins to blink or turn colors, wait for a new code to be generated.



ePrescribe Medications and Controlled Substances for ED and Urgent Care Providers

Cerner FirstNet and PowerChart **EDUCATION**

Documenting Exemptions When Not Using eRx

If the prescription is not prescribed electronically, a reason must be documented in the patient's chart (ex: Office Note). There are Auto Texts available to document each of the following exemptions:

1. Patient does not know which pharmacy will be used to fill the Rx. Note that this exception may apply when the patient is being discharged to a LTC.
 - a. Name of AutoText: `.rx_on_Paper-Pharmacy_not_Known`
 - i. Text of AutoText: This patient is unsure of which pharmacy will be used to fill their prescriptions.

2. Rx to be filled out-of-state.
 - a. Name of AutoText: `.rx_on_Paper-Dispensed_Out-of-state`
 - i. Text of AutoText: Patient plans to fill this prescription out-of-state and therefore requires a paper prescription.


3. Technical Failure.
 - a. Name of AutoText: `.rx_on_Paper-Technical_Failure`
 - i. Text of AutoText: ePrescribing temporarily unavailable due to failure of technology (including EHR or internet access) or electrical system.

eRx Status

Within the Medication List section of the dark blue Menu, a customized view can be added to display the eRx Status of prescribed medications.

The eRx Status is based on the third-party's responses and may display statuses such as:



- Routed to Pharmacy
- Delivered to Pharmacy
- Error
- Cancel
- Denied



Order Name	Status	eRx Status
Medications		
glimepiride (glimepiride 4 mg oral tablet)	Prescribed	Error
benazepril (benazepril 10 mg oral tablet)	Prescribed	Routed To Pharmacy
dexamethasone-tobramycin ophthalmic	Prescribed	Delivered To Pharmacy

To add this column:

1. Navigate to Medication List.
2. Click Customize View.
3. Select eRx Status and click Add to include eRx Status in *Selected columns.
4. Use the arrows to move eRx Status to the desired order on the list.
5. Click Ok.



ePrescribe Medications and Controlled Substances for ED and Urgent Care Providers

Cerner FirstNet and PowerChart EDUCATION

Changes to an eRx after ePrescribing

The cancel eRx functionality allows providers the ability to cancel electronic prescriptions through the EHR. If an eRx needs to be changed, the provider can cancel the prescription electronically and then add a new prescription. This functionality is **ONLY** available to providers.

1. Right-click on the order and click **Cancel/DC** (Modify or Delete/Void should **NOT** be used).
2. Enter a Discontinue Reason.
3. Click Orders for Signature.





Note: If the external pharmacy does not receive the cancellation, the provider will receive notice in their Message Center inbox and/or receive a page indicating the need to contact the pharmacy directly.

eRx Routing Error Message

When an eRx or cancellation does not route to the pharmacy properly, the provider will receive an eRx Routing Error message within the Message Center and/or a page or email from the Help Desk.

To respond to an eRx Routing Error message:

1. Select the eRx Routing Errors folder within the Message Center.
2. Double click on the message.
3. The message will indicate whether a new prescription or cancellation did **not** route correctly. Click the hyperlinked pharmacy name to see which prescription(s) had a routing error.



ePrescribe Medications and Controlled Substances for ED and Urgent Care Providers

Cerner FirstNet and PowerChart EDUCATION

4. Navigate to the **Medication List** section of the dark blue Menu.
5. View the eRX status.



Order Name	Status	eRx Status
Medications		
glimepiride (glimepiride 4 mg oral tablet)	Prescribed	Error
benazepril (benazepril 10 mg oral tablet)	Prescribed	Routed To Pharmacy
dexamethasone-tobramycin ophthalmic	Prescribed	Delivered To Pharmacy

The pharmacy where the eRx was routed to will display in the medication Details column as well.

Order Name	Status	Details	eRx Status
ibuprofen (ibuprofen 600 mg oral tablet)	Prescribed	= 1 Tab each dose, Oral, q6hr, # 20 Tab, Refill(s): 0 Pharmacy Walmart Pharmacy 2338, 180, cm, 10/10/23 6:55:00 EDT, Height/Length Measured, 121.5, kg, 10/10/23 6:55:00 E...	Delivered To Pharmacy

Note:

- If a new prescription is not routed, the provider should call the pharmacy. The provider can print or call the prescription to the pharmacy if the patient is still on-site and would need to document the reason for not ePrescribing using an appropriate Auto Text listed above.
- If a cancel request is not routed and it was intended, the provider should call the pharmacy, inform the patient of the correct medication to pick up, or take another action the provider deems appropriate for the specific situation.
- If a cancel request was sent, but the medication was not cancelled intentionally, no other action is needed, and the provider can delete the message in the eRx Routing Error folder within the Message Center.