

What is the Broset Violence Checklist?

The Broset Violence Checklist (BVC) is used to assess and monitor Behavioral Health patients for the presence of agitation and violence. The score obtained from the BVC assists providers in determining medical interventions to mitigate/prevent agitation or violence the patient may demonstrate.

- The Broset is only meant for use in the ED and the MMC D6 (Behavioral Health) unit.

Documentation of the Broset Violence Checklist for Nurses

The BVC can be accessed from the Triage form (in the ED), Ad Hoc or from a task

Broset Violence Checklist

Confused
 Sleeping
 Absent
 Present

Irritable
 Absent
 Present

Boisterous
 Absent
 Present

Verbal Threats
 Absent
 Present

Physical Threats
 Absent
 Present

Attacking Objects
 Absent
 Present

Score is calculated based on documented behaviors and is read only.

Broset Violence Score

The last 6 Broset Violence Scores are shown:

5	03/04/22 12:00
2	03/04/22 09:00
3	03/04/22 05:00

Next Scheduled Broset Instructions are read-only

Broset Comment
 Provide a comment on patient's behavior/actions for Broset greater than or equal to 3.

The most recent BVC Score displays on ED LaunchPoint:

TEMP	BP	HR	RR	O2	WT	PAIN	BVC	Acute Bed...	Acute Bed
37	185/65	111	16				5		

BVC Nurse Task

The BVC tasking rules depend on the patient's location (ED or MMC-D6):

ED BVC Tasks Trigger:

- Upon order of a Broset PowerPlan
- Q1 hour for a BVC form score of 3 or greater
- Q4 hour for a BVC form score of less than 3



MMC-D6 BVC Tasks Trigger:

- On admission (all patients)
- Q shift (all patients)
- Q1 hour for a BVC score form of 3 or greater (existing Q shift order is canceled)

Broset PowerPlans

Nurse: Verbal notification to the provider to order the Broset PowerPlans for + BVC scores

Provider: Order the Broset Sub-Phase (selection depending on the Patient's age) within the ED Psych Med Clearance/Overdose PowerPlan:



NOTE: ED Patients with a long length of stay may need to have the Broset Sub-Phases reordered as the medication orders include stop times

- Each section (antipsychotics, Benzodiazepines, etc.) has several choices based on the score
- Each Medication Sub-Phase guides the nurse on what medication to administer based on the score

ED Broset Medications - Patient Age 60 years or less - MCGKP (Initiated Pending)

Medications

Antipsychotics for BVC 1-2

- Choose ONE antipsychotic agent below for BVC 1-2
 - haloperidol (Haldol ***ED/D6***)
 - haloperidol (Haldol IM ***ED/D6***)
 - haloperidol (Haldol IVPush ***ED/D6***)
 - OLANzapine (ZyPREXA IM ***ED/D6***)
 - OLANzapine (ZyPREXA Zydis***ED/D6***)
 - risperiDONE (RisperDAL M-Tab ***ED/D6***)
 - ARIPiprazole (Abilify ***ED/D6***)

Antipsychotics for BVC 3 or greater

- Choose ONE antipsychotic agent below for BVC 3.
 - OLANzapine (ZyPREXA IM ***ED/D6***)
 - OLANzapine (ZyPREXA Zydis***ED/D6***)
 - risperiDONE (RisperDAL M-Tab ***ED/D6***)
 - ARIPiprazole (Abilify ***ED/D6***)
 - haloperidol (Haldol ***ED/D6***)

Benzodiazepine for BVC 3 or greater

- Benzodiazepine for BVC 3 or greater.
 - LORazepam (Ativan ***ED/D6***)
 - LORazepam (Ativan IM ***ED/D6***)
 - LORazepam (Ativan IVPush ***ED/D6***)