



# Home Medications Component for Providers

The Home Medications component displays a patient's documented and prescribed home medications. Documented home medications are stated by the patient and may include over-the-counter medications and medications prescribed by an external provider. Prescribed home medications are medications prescribed by a provider within Cerner. Within this component nursing staff will complete the medication history and compliance of each documented medication. When admitting, discharging, or transferring a patient, providers are required to complete the Medication Reconciliation within the Home Medications component, and once completed, a green check mark will display within this component.

## Home Medications Component

To review the patient's home medications:

1. Navigate to the Manage Specialty Workflow within the Provider View.
2. Select the Home Medications component.
  - a.  Indicates a home medication prescribed by a provider within Cerner.
  - b.  Indicates a documented home medication.

The screenshot shows the 'Home Medications (8)' component in the Cerner PowerChart interface. The sidebar on the left contains various navigation options, with 'Home Medications (8)' highlighted. The main content area displays a table of medications with columns for Medication, Compliance, Supply R..., and Responsible Provider. The table lists several medications, including docusate, echinacea, fexofenadine, hydrochlorothiazide-irbesartan, hydrocortisone, insulin glargine, lisinopril, and warfarin. Red annotations highlight the 'Manage Surgery Workflow' tab (1), the 'Home Medications (8)' menu item (2), and pill bottle icons next to 'lisinopril' (a) and 'hydrochlorothiazide-irbesartan' (b).

| Medication  | Compliance                  | Supply R... | Responsible Provider |
|---|-----------------------------|-------------|----------------------|
| docusate (docusate sodium 100 mg oral capsule)<br>1 Cap, Oral, BID, PRN: for constipation, 20 Cap, 0 Refill(s)                | Still taking, as prescribed | --          | --                   |
| echinacea (echinacea oral tablet)<br>1 Tab, Oral, Daily, 0 Refill(s)  | Still taking, as prescribed | --          | --                   |
| fexofenadine (fexofenadine 180 mg oral tablet)<br>1 Tab, Oral, Daily, 30 Tab, 0 Refill(s)                                     | Still taking, as prescribed | --          | --                   |
| hydrochlorothiazide-irbesartan (hydrochlorothiazide-irbesartan 12.5 mg-150 mg oral tablet)<br>1 Tab, Oral, Daily, 0 Refill(s) | Still taking, as prescribed | --          | --                   |
| hydrocortisone (Cortef)<br>Oral, Daily, 0 Refill(s)   | Still taking, as prescribed | --          | --                   |
| insulin glargine (insulin glargine 100 units/mL subcutaneous solution)<br>15 unit, Subcut, QHS, 10 mL, 0 Refill(s)            | Still taking, as prescribed | --          | --                   |
| lisinopril (lisinopril 1 mg/mL oral solution)<br>20 mL, Oral, Daily, 600 mL, 0 Refill(s)                                      | --                          | 29 Days...  | Eduphys, 9           |
| warfarin (warfarin 5 mg oral tablet)<br>1 Tab, Oral, Daily, 30 Tab, 0 Refill(s)   | Still taking, as prescribed | --          | --                   |

## Home Medications Component – Admission, Discharge, or Transfer

When admitting, discharging, or transferring a patient, the responsible provider is required to complete the Medication Reconciliation within the Home Medications component.

For more information on completing the Admission Medication Reconciliation, Discharge Medication Reconciliation, or Transfer Medication reconciliation, please refer to the [Clinical EHR Education](#) website.