

Required ICD-10 Data Elements for Orders/EMR Templates

- **Laterality**
 - Bilateral
 - Left
 - Right
- **Acuity**
 - Acute
 - Chronic
 - Acute on Chronic
- **Type**
 - Recurrent, paroxysmal, persistent
 - Organism
- **Side of dominance – cerebral infarction**
 - Right
 - Left
 - Ambidextrous
- **AMI**
 - Age definition for AMI has changed to four weeks rather than eight weeks
 - New categories for subsequent AMI and for complication within 28 days of AMI
- **Pregnancy**
 - 1st trimester – less than 14 weeks, 0 days
 - 2 trimester – 14 weeks 0 days to less than 28 weeks 0 days
 - 3rd trimester – 28 weeks 0 days until delivery
- **Diabetes**
 - Type (Type 1 or 2)
 - Diabetes mellitus due to underlying condition
 - Body system affected
 - Complication or manifestation
 - Drug or chemical induced
 - Document the use of insulin
 - Gestational diabetes, insulin-requiring or diet controlled
- **Episode of Care**
 - Initial encounter
 - Subsequent encounter
 - Sequela (previously known as late effect)
- **Fractures and Wounds**
 - Episode of care for closed v open fracture
 - Site specific

- **Injury, poisoning, and other causes**
 - External cause – place and activity
 - The size and type of all vehicles, conveyance involved (animal-drawn, pedal cycle, motorcycle, 3-wheeled or 4-wheeled, car, van, pickup, bus, heavy transport, military, railway vehicle, railway train, watercraft, aircraft, special purpose vehicle, ski lift, etc.)
 - Collisions with fixed or moving objects
 - Location of the patient was driver, passenger, pedestrian, in a structure stuck by an object etc.
 - Whether the accident was a traffic or non-traffic accident
 - Activity at the time of injury
 - For falls, height, activity, mechanism, any stationary or moving objects struck
 - For injuries by objects, the activity and type of object, described in much detail as practical
 - Event caused by:
 - Accidental
 - Intentional self-harm
 - An assault
 - Of undetermined cause
 - An adverse effect of a medication
 - Due to under-dosing of a prescribed medication (new to I-10);
 - under-dosing intentional or not
 - intentional – reason why patient is not taking medication (e.g., financial reasons)
- **Coma -Glasgow coma score (GCS).** A 7th digit is required based on the time the score was obtained.
 - 0 - unspecified time
 - 1 - in the field [EMT or ambulance]
 - 2 - at arrival to emergency department
 - 3 - at hospital admission
 - 4 - 24 hours or more after hospital admission

Anatomic specificity is a must!

- **Finger** – Individual fingers and phalanxes –Non-displaced fracture of **proximal phalanx** of **left index** finger, initial encounter for closed fracture S62.641A
- **Toe** – individual toes and specific joints –Dislocation of **interphalangeal joint** of **right great toe**, initial encounter S93.111A
- **Hand** – individual metacarpals –Displaced fracture of **base of second metacarpal** bone, **right hand**, initial encounter for closed fracture S62.310A
- **Foot** – individual metatarsals –Non-displaced fracture of **third metatarsal** bone, **right foot**, initial encounter for closed fracture S92.334A
- **Eyelid** – upper vs. lower –Abscess of **right upper eyelid** •H00.031