

Outpatient Laboratory Quick Reference Guide

Objective: Ensure your ICD-10 success by documenting at the required level on future orders. Limit the use of unspecified diagnosis codes; drive for specificity when anatomy, etiology, or severity is known.

ICD-9 Codes Produced from Order	ICD-10 Code Equivalents of ICD-9 Codes	Requirements for ICD-10 Success
	Not Specific	Specific
285.9: Unspecified anemia	D64.9: Anemia, unspecified	Type of Anemia: <ul style="list-style-type: none"> • Due to (blood loss, deficiency, etc.) • In (e.g., CKD, neoplastic disease, etc.) • Iron deficiency • Vitamin B12 deficiency • Sickle-cell • Other
244.9: Unspecified acquired hypothyroidism	E03.9: Hypothyroidism, unspecified	Type of Hypothyroidism: <ul style="list-style-type: none"> • Congenital • Due to (e.g., exogenous substance, iodine-deficiency, etc.) • Iatrogenic • Myxedema coma • Post-infectious • Postprocedural • Subclinical, iodine-deficiency related • Other
272.4: Unspecified hyperlipidemia	E78.5: Hyperlipidemia, unspecified	Type of Hyperlipidemia: <ul style="list-style-type: none"> • Combined • Group • Mixed • Other

Please submit ICD-10 questions to icd10help@mhc.net.

Outpatient Laboratory Quick Reference Guide

Specific ICD-10-CM Codes	
Code	Definition
Anemia	
D50.0	Iron deficiency anemia secondary to blood loss
D50.8	<ul style="list-style-type: none"> • Iron deficiency anemia due to inadequate dietary iron intake • Other iron deficiency anemia
D51.0	<ul style="list-style-type: none"> • Vitamin B12 deficiency anemia due to intrinsic factor deficiency • Addison anemia • Biermer anemia • Pernicious (congenital) anemia • Congenital intrinsic factor deficiency
D51.1	<ul style="list-style-type: none"> • Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria • Imerslund syndrome • Megaloblastic hereditary anemia
D51.2	Transcobalamin II deficiency
D51.3	<ul style="list-style-type: none"> • Other dietary vitamin B12 deficiency anemia • Vegan anemia
D51.8	Other vitamin B12 deficiency anemias
D52.0	<ul style="list-style-type: none"> • Dietary folate deficiency anemia • Nutritional megaloblastic anemia
D52.1	Drug-induced folate deficiency anemia
D52.8	Other folate deficiency anemias
D53.0	<ul style="list-style-type: none"> • Protein deficiency anemia • Amino-acid deficiency anemia • Orotaciduric anemia
D53.1	Other megaloblastic anemias, not elsewhere classified
D53.2	Scorbutic anemia
D53.8	<ul style="list-style-type: none"> • Anemia associated with deficiency of copper • Anemia associated with deficiency of molybdenum • Anemia associated with deficiency of zinc • Other specified nutritional anemias
(D55-D59)	Hemolytic anemias
(D60-D64)	Aplastic and other anemias and other bone marrow failure syndromes

Please submit ICD-10 questions to icd10help@mhc.net.

Outpatient Laboratory Quick Reference Guide

Specific ICD-10-CM Codes	
Code	Definition
Hypothyroidism	
E03.0	Congenital hypothyroidism with diffuse goiter
E03.1	Congenital hypothyroidism without goiter
E03.2	Hypothyroidism due to medicaments and other exogenous substances
E02	Subclinical iodine-deficiency hypothyroidism
E03.3	Post-infectious hypothyroidism
E89.0	Postprocedural hypothyroidism
E03.8	Other specified hypothyroidism
Hyperlipidemia	
E78.4	<ul style="list-style-type: none"> • Familial combined hyperlipidemia • Other hyperlipidemia
E78.0	<ul style="list-style-type: none"> • Pure hypercholesterolemia • Hyperlipidemia, Group A
E78.1	<ul style="list-style-type: none"> • Pure hyperglyceridemia • Hyperlipidemia, Group B
E78.2	<ul style="list-style-type: none"> • Mixed hyperlipidemia • Combined hyperlipidemia NOS • Hyperlipidemia, Group C
E78.3	<ul style="list-style-type: none"> • Hyperchylomicronemia • Hyperlipidemia, Group D

Please submit ICD-10 questions to icd10help@mhc.net.