


# Diabetic Screening for Clinical Staff

## Cerner PowerChart Ambulatory EDUCATION


**Summary:** A Diabetes Screening is recommended every three years for all patients 45 years and older who do not have a diagnosis of diabetes. This health maintenance recommendation will automatically display on the Ambulatory Workflow page every three years.

**Support:** Ambulatory Informatics at 231-392-0229

### Managing Diabetes Recommendations



1. When a patient presents for an office visit, navigate to the Recommendations component of the Ambulatory Workflow page.
  - a. Check if the patient is due for a Diabetes Screening.
2. If the patient is due for a screening, ask the patient if they have been screened for diabetes in the last three years.
3. If the patient has not been screened for diabetes in the last three years, proceed with the recommended diabetes screening.



- a. Click Diabetes Screening and the preview pane will open.
- b. Click the arrow beside Actions.
- c. Select either a Glucose, Fasting or HbA1C Order.

- d. Complete Ordering Physician by selecting:
1. Order.
  2. Correct Physician.
  3. Cosign Required.
  4. Okay.

- e. Click the Orders icon.




- f. Select Modify Details.

Order Name	Status	Start	Details
Munson Family Practice Center FIN:AT0056128089 Admit: 10/10/2022 3:45 PM EDT			
Laboratory			
Glucose, Fasting	Order	6/28/2023 1:24 PM EDT	Routine, ONCE

- g. Enter the following diagnosis Z13.1 Diabetes mellitus screening.  
 h. Click Sign.

## Document Diabetes Screening from Outside Records

1. When a patient presents for an office visit, navigate to the Recommendations component of the Ambulatory Workflow page.
  - a. Choose the Diabetes Screening and the side window will open.
  - b. Click the Actions drop down.
  - c. Select Completed.



- d. Enter the date of the procedure.
- e. Remove your name from the Recorded for field by clicking X.
- f. Enter a comment as needed.
- g. Click Save.

