

HIV Screening Recommendation Workflow for Clinical Staff and Providers


Cerner PowerChart Ambulatory EDUCATION

Summary: HIV Screening is recommended for all patient's aged 15-65. This health maintenance recommendation will automatically display on the Recommendations component within the Ambulatory Workflow page one time. **Support**: Ambulatory Informatics at 231-392-0229.

HIV Screening Maintenance Recommendation


Navigate to Ambulatory Nursing Workflow.


- 1. Select the Recommendations Workflow page component.
- 2. Select HIV Screening and select the Actions drop-down.
- 3. Select the appropriate Order:
 - a. HIV 1 and 2 ANTIGEN AND ANTIBODY.
 - b. HIV 1/2 Ab Confirm and Differentiation.




- 4. Ordering Physician box appears.
 - a. Select the Order radio button.
 - b. Enter the ordering provider's name.
 - c. Select the Communication type Cosign Required.
 - d. Click OK.

- 5. Click Orders for Signature.
- 6. Orders for Signature window appears:
 - a. Click Modify Details.
- 7. Associate appropriate Diagnoses and Click sign.










HIV Screening Recommendation Workflow for Clinical Staff and Providers

Cerner PowerChart Ambulatory EDUCATION

HIV Screening Done Elsewhere

1. Select Outside Records in the dark menu to view any external records pertaining to HIV Screening Maintenance.



- 2. If results are available:
 - a. Click Actions.
 - b. Select Completed.
 - c. Enter in:
 - i. Satisfy Date.
 - ii. Reason.
 - iii. Comment (if necessary).
 - d. Click Save.





NOTE: Providers are responsible for updating Recommendations yearly. If an HIV result is available in outside records, staff must manually satisfy the recommendation, using the date the test was performed.